

STAINPRO 4 CARPET & UPHOLSTERY

CARPET & UPHOLSTERY

CLEANER

USER GUIDE 2068N





A


















A-2

















3.





5.



C-4





3.







<u>C-2</u>





C-5







16.



15.





IMPORTANT SAFETY INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USING YOUR DEEP CLEANER.

When using an electrical appliance, basic precautions should be observed, including the following.

WARNING

ALWAYS CONNECT TO A PROPERLY EARTHED ELECTRICAL SOCKET.

△ WARNING

TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY:

- »Unplug from electrical socket when not in use and before cleaning, maintaining, or servicing the appliance.
- » This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory and mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Cleaning and user maintenance shall not be made by children without supervision.
- » Children should be supervised to ensure that they do not play with the appliance.
- »If the supply cable is damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified persons in order to avoid a hazard.
- »Do not run appliance over cable.
- »Use only the type and amount of liquids specified under the Operations section of this guide.
- » Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts of the appliance and its accessories.
- » Do not leave appliance when plugged in.
- » Do not modify earthed plug.
- » Use indoors only.
- » Do not allow to be used as a toy.
- » Use only as described in the user guide.

- » Use only manufacturer's recommended attachments.
- » Do not use with damaged cable or plug.
- » Do not immerse in water or liquid.
- » If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water; do not attempt to operate it and have it repaired at an authorised service center.
- » Liquid must not be directed towards equipment containing electrical components.
- » Do not pull or carry by cable, use cable as a handle, close door on cable, or pull cable around sharp edges or corners.
- » Keep cable away from heated surfaces.
- » Do not unplug by pulling on cable.
- » To unplug, grasp the plug, not the cable.
- » Do not handle plug or appliance with wet hands.
- » Do not put any object into openings.
- » Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
- » Turn off all controls before unplugging.
- » Use extra care when cleaning on stairs.
- » Do not use to pick up flammable or combustible liquids, such as petrol, or use in areas where they may be present.
- » Do not pick up toxic material (chlorine bleach. ammonia, drain cleaner, etc.).
- » Do not use appliance in an enclosed space filled with vapors given off by oil base paint, some moth-proofing substances, flammable dust, or other explosive or toxic vapors.
- » Do not pick up hard or sharp objects such as glass, nails, screws, coins, etc.
- » Keep appliance on a level surface.
- » Do not carry appliance while in use.
- » Unplug before attaching the TurboBrush Tool.
- » Plastic film can be dangerous. To avoid danger of suffocation, keep away from children.

WARNING

TO REDUCE THE RISK OF FIRE AND ELECTRIC SHOCK-USE ONLY BISSELL® CLEANING PRODUCTS INTENDED FOR USE WITH THIS MACHINE. USE INDOORS ONLY. DO NOT IMMERSE. USE ONLY ON CARPET MOISTENED BY THE CLEANING PROCESS.

VARNING

TO REDUCE THE RISK OF ELECTRIC SHOCK. ALWAYS INSTALL FLOAT BEFORE ANY WET PICK-UP OPERATION.

SAVE THESE INSTRUCTIONS

FOR OPERATION ON A 220-240 VOLT A.C. 50-60 HZ POWER SUPPLY ONLY.

This model is for household use only.

32-38

39-45

Thanks for buying a BISSELL deep cleaner

We're glad you purchased a BISSELL deep cleaner. Everything we know about floor care went into the design and construction of this complete, high-tech home cleaning system.

Your BISSELL deep cleaner is well made, and we back it with a limited two-vear guarantee. We also stand behind it with a knowledgeable, dedicated Consumer Care department, so, should you ever have a problem, you'll receive fast, considerate assistance.

My great-grandfather invented the floor sweeper in 1876. Today, BISSELL is a global leader in the design, manufacture, and service of high quality homecare products like your BISSELL deep cleaner.

Thanks again, from all of us at BISSELL.

man J. Broselo

Mark J. Bissell Chairman & CEO

Symbol Definitions

\triangle	WARNING	RISK OF FIRE, ELECTRIC SHOCK, OR INJURY.
	TIP	NOTE OR HINT WHICH IS NOT ESSENTIAL BUT MAY IMPROVE USABILITY.
	GUIDE	READ USER GUIDE FOR COMPLETE SAFETY AND USER INSTRUCTIONS.
Z	WEEE	DO NOT THROW THE APPLIANCE AWAY WITH THE NORMAL HOUSEHOLD WASTE AT THE END OF ITS LIFE, INSTEAD HAND IT IN AT AN OFFICIAL COLLECTION POINT FOR RECYCLING. BY DOING THIS YOU WILL HELP TO PRESERVE THE ENVIRONMENT.

A Product View



Do not plug in your cleaner until you have completely assembled it per the following instructions and are familiar with all instructions and operating procedures.

- 1 Handle
- 2 Handle Assembly
- 3 Upper Body Assembly
- 4 Carry Handle
- 5 Lower Body Assembly
- 6 Ready Tools Dial
- 7 Belt Access Door
- 8 Removable Nozzle
- 9 DirtLifter PowerBrush
- 10 Edge Sweep Brushes

A-2 Cleaning Formulas

Always use genuine BISSELL deep cleaning formulas. Non-BISSELL cleaning formulas may harm the cleaner and may void the guarantee.

- 10 1.5 L 2X Wash & Protect PRO Professional Stain & Odour Formula w/ Scotchgard™ Protector
- 11 1.5 L 2X Wash & Protect PET Pet Stain & Odour Formula w/ Scotchgard™Protector
- 12 1.5 L 2X Wash & Protect Stain & Odour Formula w/ Scotchgard™ Protector
- 13 1.5 L 2X* Wash & Refresh Blossom & Breeze w/ Febreze™ Freshness

*2X concentrated formula, 60 mL is equivalent to 120 mL of nonconcentrated formula



To reduce the risk of fire and electric shock due to internal component damage, use only BISSELL cleaning fluids intended for use with the deep cleaner.



To reduce the risk of fire, use only BISSELL deep cleaning formula for full size machines in your deep cleaner. Use of cleaning formulas that

contain lemon or pine oil may damage this appliance and void the guarantee. Chemical spot cleaners or solvent-based soil removers should not be used. These products may react with the plastic materials used in your deep cleaner causing cracking or pitting.

B Assembly

Your deep cleaner comes in five easy to assemble components:

Handle Assembly Upper Body Assembly Upper Hose Rack Lower Body Assembly Lower Hose Rack

Three Phillips-head screws are included and can be found taped to the Handle Assembly.

The only tool you will need to assemble your cleaner is a Phillips-head screwdriver.

- **1.** Slide Upper Body Assembly onto Lower Body and secure with two screws.
- 2. With the "tabs" on Upper Hose Rack pointing toward top of handle, attach Upper Hose Rack to Handle Assembly by sliding it to top of handle until it can go no further. Turn Hose Rack until it snaps into place.
- **3.** Slide Handle Assembly down into Upper Body until it will go no further and secure with screw.
- **4.** Attach Lower Hose Rack to back of Upper Body by pushing into open slots and sliding down until it snaps into place.
- **5.** Wrap Flex Hose around Hose Rack and secure it into notched out holder as shown.
- **6.** Keep Flex Hose locked in place with hose secure latch.



Do not plug in your deep deaner until you have completely assembled it per the instructions and are familiar with all instructions and operating procedures.

Scotchgard™ is a trademark of 3M®.

Febreze and related trademarks are owned by The Procter & Gamble Company, Cincinnati, Ohio, and used under license by BISSELL Homecare, Inc.

C Operations

Before you clean

- **1.** Plan activities to give your carpet time to dry.
- **2.** Move furniture to another area if cleaning an entire room (optional).
- **3.** Vacuum area with a dry vacuum cleaner before deep cleaning.
- **4.** Plan your cleaning route to leave an exit path. It is best to begin cleaning in the corner farthest from your exit.

C-1 Filling the 2-in-1 Water Tank

- **1.** Remove the tank from the base of the machine by lifting the tank carry handle.
- 2. Carry like a bucket to the sink. Rotate the handle forward to unlatch the lid. Remove lid, turn over, and locate built in measuring cup.
- **3.** Fill with BISSELL 2X formula to the indicated fill line on the built in measuring cup and pour into mouth of the bladder.
- **4.** Fill the bladder with clean, hand hot, (60°C/140°F MAX) tap water. ***Do not boil** or microwave water as it can destroy the bladder.
- **5.** Replace the top lid onto tank by matching the lid and tank edges. Handle must be in the forward position in order to replace lid. Rotate the handle to the carrying position to latch the lid.

NOTE: Remember to secure the lid and test to make sure it is secure before picking up the tank.

6. Place tank into machine base, seating firmly in place. Rotate tank handle back into latched position.

ATTENTION

Some Berber carpets have a tendency to fuzz with wear. Repeated strokes in the same area with an ordinary vacuum or deep cleaner may aggravate this condition.



Rotating brush inside-to avoid the risk of injury-unplug before removing.



Take care not to run over loose objects or edges of area rugs. Stalling the brush may result in premature belt failure.

C-2 Carpet cleaning

- 1. Plug into a proper outlet.
- **2.** Set ReadyTools Dial to Floor Cleaning setting.
- **3.** With your foot, press gray Recline Pedal located on back of machine below Water Tank
- **4.** With your foot, press gray Recline Pedal located on back of machine next to red power pedal.
- **5.** While pressing spray trigger, make one slow forward wet pass and another back. **Caution: do not overwet.**
- **6.** Release spray trigger and make one slow forward and backward pass over same area.
- 7. Repeat cleaning passes until solution being suctioned up appears clean. Continue passes without pressing spray trigger until you can't see any more water being suctioned up. Repeated passes will help aid in dry time.

NOTE: You may notice hair and debris deposits on the carpet or in the tank that were loosened by the cleaning action. This debris should be picked up and thrown away.

C-3 Area rug cleaning

Important! Please check manufacturer's tag before cleaning area rugs for any specialized cleaning instructions. We do not recommend deep cleaning delicate, silk, wool, antique or area rugs without a manufacturer's tag.

When cleaning area rugs, place the rug on a sealed surface and test a small, inconspicuous area for colourfastness. Your carpet cleaner should not be used on unsealed surfaces.

Follow carpet cleaning instruction in section C-2. Keep the foot of the cleaner perpendicular to the rug's edge with each cleaning pass to prevent damage.

C-4 Empty the 2-in-1 Water Tank/Clean Removable Nozzle

- 1. Turn power switch OFF. Remove the 2-in-1 Water Tank from the base using the Tank Carry Handle. Carry the tank like a bucket to a utility sink or outside where you will dispose of the collection water. Remove the top of the tank by rotating the handle forward to unlatch lid and lifting lid off tank.
- 2. Empty collection water from bottom of tank.
- 3. After each use, remove and rinse the Lint Screen located on the tank lid.
- 4. If nozzle needs to be cleaned, remove by grasping handle at the top and pulling out. Clean Removable Nozzle by rinsing under running water.
- 5. When finished, replace nozzle by slightly raising front of machine to line up slots on the base with the hooks on nozzle. Attach at base first and then click nozzle into place.

NOTE: If nozzle is not attached properly loss of suction will occur.

6. Refill bladder with water and formula and continue cleaning.

C-5 ReadyTools

Your deep cleaner comes equipped with a hose and at least one attachment for cleaning stairs, upholstery, and more.

Important! If using the machine to clean upholstery, check upholstery tags.

- 1. Check manufacturer's tag before cleaning. "W" or "WS" on the tag means you can use your deep cleaner. If the tag is coded with "X" or "S" (with a diagonal strike through), or says "Dry Clean Only," do not proceed. Do not use on velvet or silk. If manufacturer's tag is missing or not coded, check with your furniture dealer.
- 2. Check for colourfastness in an inconspicuous place.
- 3. If possible, check upholstery stuffing. Coloured stuffing may bleed through fabric when wet.
- **4.** Plan activities to give upholstery time to dry.
- **5.** Vacuum thoroughly to pick up loose debris and pet hair. Use a vacuum with a brush attachment and a crevice tool to clean in fabric folds and tufts.
- 6. To begin cleaning with attachments. follow the instructions in section C-1 for filling the 2-in-1 Water Tank.

- 7. Set the ReadyTools Dial to the TOOLS setting. This will allow spray and suction from the hose.
- 8. Attach the Cleaning Tool to the end of the
- **9.** Clean by pressing the spray trigger to spray solution onto the area to be cleaned. Slowly move the tool back and forth over the soiled surface. Release the spray trigger to suction dirty water. Continue to clean area, working in small sections, until dirt is removed. Caution: Do not overwet.
- 10. When finished cleaning, remove and rinse tool(s) in clean, running water.
- 11. It is recommended that you suction clean water from a bowl to rinse out the hose.
- 12. Before wrapping hose onto Tool Rack, lift end of hose and stretch out to ensure all water is cleared from hose.
- 13. Wrap Flex Hose around Tool Rack.
- 14. Empty 2-in-1 Water Tank and rinse out, following instructions in section C-4.
- 15. If the ReadyTools Dial becomes difficult to turn, the diverter assembly that holds the dial may need to be cleaned. To clean, first remove nozzle and locate screw that holds the diverter assembly in place. With a Phillips-head screwdriver, remove the screw and set aside.
- 16. Remove diverter assembly; hold under running water making sure water flows through and around the dial. Turn the dial about 10 times clockwise and 10 more times counter clockwise. This should free up any debris.
- 17. Wipe diverter assembly with a soft cloth and replace back on machine. Replace nozzle.
- **18.** Return ReadyTools Dial to FLOOR CLEANING setting.

IMPORTANT

Check for colourfastness in an inconspicuous place. If possible. check upholstery stuffing. Coloured stuffing may bleed through fabric when it becomes wet.

Care, Maintenance & Storage

D-1 Machine care

For best results, a few simple steps can assure your machine is well maintained after your cleaning is complete.

- **1.** Turn power switch OFF. Unplug the machine and wrap the power cable.
- 2. After emptying the 2-in-1 Water Tank, rinse it with running hand hot tap water, taking care to clean underneath and around the heavy duty bladder. Clean out red Lint Screen. Removable Nozzle may be rinsed if necessary. Refer to section C-4.
- **3.** Replace the 2-in-1 Water Tank on the machine.
- **4.** Any loose hair or debris can be pulled from the Brush Roll and thrown away.
- **5.** To clean attachments, remove from hose and rinse in clean, running water. Dry before storing. Clean the hose by suctioning clean water from a bowl. Before wrapping back on machine, lift end of hose and stretch out to ensure all water is cleared from hose. Refer to section C-5. illustrations 11 and 12.
- **6.** Wipe the machine's exterior with a soft cloth.
- **7.** After carpet is dry, vacuum again to remove hair and fuzz.

D-2 Machine storage

Put the unit away in a closet or basement for the next use. Store cleaner in a protected, dry area. Since this product uses water, it must not be stored where there is a danger of freezing. Freezing will damage internal components and void the guarantee.



To reduce the risk of electric shock, turn power switch off and disconnect plug from electrical outlet before performing maintenance or troubleshooting checks.



Do not store unit where freezing may occur. Damage to internal components may result.

E Consumer Guarantee

This Guarantee only applies outside of the USA and Canada. It is provided by BISSFLL International Trading Company BV ("BISSFLL").

This Guarantee is provided by BISSELL. It gives you specific rights. It is offered as an additional benefit to your rights under law. You also have other rights under law which may vary from country to country. You can find out about your legal rights and remedies by contacting your local consumer advice service. Nothing in this Guarantee will replace or lessen any of your legal rights or remedies. If you need additional instruction regarding this Guarantee or have questions regarding what it may cover, please contact BISSELL Consumer Care or contact your local distributor.

This Guarantee is given to the original purchaser of the product from new and is not transferable. You must be able to evidence the date of purchase in order to claim under this Guarantee.

Limited 2 Year Guarantee (from the date of purchase by original purchaser)

Subject to the *EXCEPTIONS AND EXCLUSIONS identified below. BIS-SELL will repair or replace (with new, refurbished, lightly used, or remanufactured components or products), at BISSELL's option, free of charge, any defective or malfunctioning part or product.

BISSELL recommends that the original packaging and evidence of the date of purchase be kept for the duration of the Guarantee period in case the need arises within the period to claim on the Guarantee. Keeping the original packaging will assist with any necessary re-packaging and transportation but is not a condition of the Guarantee.

If your product is replaced by BISSFIT under this Guarantee, the new item will benefit from the remainder of the term of this Guarantee (calculated from the date of the original purchase). The period of this Guarantee shall not be extended whether or not your product is repaired or replaced.

*EXCEPTIONS AND EXCLUSIONS FROM THE TERMS OF THE GUARANTEE

This Guarantee applies to products used for personal domestic use and not commercial or hire purposes. Consumable components such as filters, belts and mop pads, which must be replaced or serviced by the user from time to time, are not covered by this Guarantee.

This Guarantee does not apply to any defect arising from fair wear and tear. Damage or malfunction caused by the user or any third party whether as a result of accident, negligence, abuse, neglect, or any other use not in accordance with the User Guide is not covered by this Guarantee.

An unauthorised repair (or attempted repair) may void this Guarantee whether or not damage has been caused by that repair/attempt.

Removing or tampering with the Product Rating Label on the product or rendering it illegible will void this Guarantee.

SAVE AS SET OUT BELOW BISSELL AND ITS DISTRIBUTORS ARE NOT LIABLE FOR ANY LOSS OR DAMAGE THAT IS NOT FORESEEABLE OR FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE ASSOCIATED WITH THE USE OF THIS PRODUCT INCLUDING WITHOUT LIMITATION LOSS OF PROFIT, LOSS OF BUSINESS, BUSINESS INTERRUPTION, LOSS OF OPPORTUNITY, DISTRESS, INCONVENIENCE OR DISAPPOINTMENT, SAVE AS SET OUT BELOW BISSELL'S LIABILITY WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT.

BISSELL DOES NOT EXCLUDE OR LIMIT IN ANY WAY ITS LIABILITY FOR (A) DEATH OR PERSONAL INJURY CAUSED BY OUR NEGLIGENCE OR THE NEGLIGENCE OF OUR EMPLOYEES. AGENTS OR SUBCONTRACTORS: (B) FRAUD OR FRAUDULENT MISREPRESENTATION: (C) OR FOR ANY OTHER MATTER WHICH CANNOT BE EXCLUDED OR LIMITED UNDER LAW.

Consumer Care

If your BISSELL product should require service or to claim under our limited guarantee, please contact us as follows:

Website:

www.BISSFLL.eu

Visit the BISSELL website: www.BISSELL.eu

When contacting BISSELL, have model number of cleaner available.

Please record your Purchase Date: Please record your Model Number:

NOTE: Please keep your original sales receipt. It provides proof of the date of purchase in the event of a Guarantee claim. See Guarantee for details.